

Model GF Mesh Grease Filters

GENERAL DESCRIPTION

These filters are designed for use in commercial kitchens and ventilation from food preparation areas where their primary function is to reduce grease carry over from the cooking area.

These Filters are rated at 1.5m/sec - where the pressure drop is 15Pa for 45mm filters and less than 10Pa for 20mm filters.

Construction

These filters are made from rolled channel frames, with safety edges. Sandwiched between the frame edges are layers of interwoven expanded mesh.

These Filters are available in the frame finishes below - mesh choice is either Galvanised Steel or Stainless Steel.


Stainless Steel



Brushed Stainless Steel



Galvanised Steel



Aluminium



ENVIRONMENT



EMS 81914
BS EN ISO 14001:2004

QUALITY



FM 29257
BS EN ISO 9001:2000

Jasun Filtration Plc
Riverside House, Parrett Way
Bridgwater, Somerset.
TA6 5LB
United Kingdom

Tel.: +44 (0) 1278 452277
Fax: +44 (0) 1278 450873
Info@jfilters.com
[Http://www.jfilters.com](http://www.jfilters.com)

Mesh Grease Filters

STANDARD SIZES

JASUN FILTRATION ALWAYS SPECIFY FILTERS AS HEIGHT (H) x WIDTH (W) x THICKNESS (T) THIS IS PARTICULARLY IMPORTANT BECAUSE THE HANDLES WILL ALWAYS GO ON THE H SIDE, AND THE DRAIN HOLES WILL ALWAYS BE IN THE W SIDE.

TO SPECIFY THE GREASE FILTERS MATERIAL

IN THE PART NUMBERS ABOVE REPLACE THE X WITH


S FOR STAINLESS STEEL FRAME AND MESH

R FOR BRUSHED STAINLESS STEEL AND STAINLESS STEEL MESH

E FOR STAINLESS FRAME AND GALVANISED STEEL MESH

G FOR GALVANISED STEEL FRAME AND MESH

FOR ALUMINIUM FRAME AND GALVANISED MESH REMOVE THE X



No.	Nominal Size Inches	Height (mm)	Width (mm)	Depth (mm)	Rated Airflow m ³ /hr
GFx2-1020	10 x 20 x 2	241	495	45	644
GFx2-1212	12 x 12 x 2	292	292	45	460
GFx2-1216	12 x 16 x 2	292	394	45	621
GFx2-1224	12 x 24 x 2	292	594	45	937
GFx2-1616	16 x 16 x 2	394	394	45	838
GFx2-1620	16 x 20 x 2	394	495	45	1053
GFx2-1625	16 x 25 x 2	394	622	45	1323
GFx2-1818	18 x 18 x 2	445	445	45	1069
GFx2-2010	20 x 10 x 2	495	241	45	644
GFx2-2016	20 x 16 x 2	495	394	45	1053
GFx2-2020	20 x 20 x 2	495	495	45	1323
GFx2-2025	20 x 25 x 2	495	622	45	1663
GFx2-2424	24 x 24 x 2	597	597	45	1925

GFx1-1020	10 x 20 x 1	241	495	20	644
GFx1-1212	12 x 12 x 1	292	292	20	460
GFx1-1216	12 x 16 x 1	292	394	20	621
GFx1-1224	12 x 24 x 1	292	594	20	937
GFx1-1616	16 x 16 x 1	394	394	20	838
GFx1-1620	16 x 20 x 1	394	495	20	1053
GFx1-1625	16 x 25 x 1	394	622	20	1323
GFx1-1818	18 x 18 x 1	445	445	20	1069
GFx1-2010	20 x 10 x 1	495	241	20	644
GFx1-2016	20 x 16 x 1	495	394	20	1053
GFx1-2020	20 x 20 x 1	495	495	20	1323
GFx1-2025	20 x 25 x 1	495	622	20	1663
GFx1-2424	24 x 24 x 1	597	597	20	1925